

Email: sales@twrs.com



Schmidt bulk units are designed to maximize safety and productivity while minimizing downtime and maintenance costs. All bulks are standard with the popular Halok closure unit (a safety device by AXXiom to protect personnel while operating the closure), Ergo-ladder and CEN blowdown system. These high productivity blasting systems feature multi-outlet Thompson Valve II controls that allow each operator independent control of the blast outlets. Hi-Flow Auto Air Valves are also standard which provide minimal pressure loss when using large nozzles.

Vessel sizes, outlets and control options are unlimited!

Added standard safety features reaffirm that Axxiom has the best interest of the operator's safety at the forefront of our mind.



Email: sales@twrs.com

www.AxxdomMfg.com Phone: 800.231.2035 Fax: 888.600.3300



- Normally closed, fail-safe valves and controls
- · High flow auto air valves standard for maximum productivity
- · Standard 1600 cfm moisture separator for consistent abrasive flow
- Available as stationary or mounted on highway and yard trailers - Skid and Fork Pocket Skid options
- Standard 150 psi ASME code pressure vessel
- 12" x 16" manway
- Optional bag rack with pipe stubs for abrasive loading

• 3" bottom flanged port for easy vessel clean-out



of the closure

Grab handle and point of attachment for fall protection

> Controlled Expansion Nozzle (CEN) reduces the noise level of blowdown process to 92 dba* (which is the equivalent to traffic noise)

The CEN also prevents frost buildup, which has been reported to retain pressure on the vessel, creating safety hazards.

*CFR 1910.95 (b) (1)



Ergo-Ladder makes closure access safer and more comfortable







Email: sales@twrs.com

Bulk Blaster Upgrades

Improved safety measures, easier transportation, easier operation, NO extra cost

A product of Axxiom Manufacturing, Inc.







Email: sales@twrs.com

New Standard Features



• The HALOK® is easier to use than ever with new cam-lock handle extensions (patent pending).



New Manway Stay Brackets (patent pending)
allow operators to more easily secure and fasten
the manway into place.



 Anti-slip twisted rungs on the Schmidt Ergo-Ladder (patent pending) give a firm foothold in the worst conditions.

- Schmidt Grit Suppression Valve (patent pending) replaces Y-strainers to help reduce abrasive backflow
- New air inlet ball valve with lock-out adds an additional level of security.
- Reconfigured piping helps protect the control valve system
- Bulk rack pipe stubs are now standard, so blasting abrasive is always secure.
- Four new shipping tie down lugs allow easier securing for shipment
- Redesigned lift lugs allow four-point lifting

Contact your local Schmidt distributor or call Axxiom at 800-231-2085 for distributor information.

800-231-2085 SchmidtAbrasiveBlasting.com

