

www.twrs.com Toll Free: 800.621.2777

Email: sales@twrs.com


**Incandescent Explosion Proof Drop Light (Stringer)** 


#### **Highlights**

• The 7000 Incadescent Explosion Proof Drop Light is a tough, versatile rain tight and weather proof lighting option. With optional stringer configurations available it is ideal for blasting & painting, confined spaces, and hazardous locations.

	Product Features
Approved for:	Class I, Div 1, Groups C & D (100W max)
	Class II, Div 1, Groups F & G (75W max)
	Class I, Zone 1, Group IIB
Conforms to:	UL E30252
Certified to:	CSA LR39801
UL Temperature Rating:	T3B (160°C)
Rated:	NEMA 4X
	NEMA 5-15 (power cord)
Designed to:	NEC Article 500
Features:	Rain tight & weather proof
Bulb Type:	Incandescent - Size: A21
Watts:	100W (75W option)
Fixture Lumens:	1,600 lumens (100W)
Fixture Voltage:	250V max
	Voltage w/ plug: 120V AC
	12 Volt available upon request with inline transformer
Material/ Replacement parts:	Non-sparking Aluminum
	Tempered Glass Globe
	Rubber bumpers
Mounting:	Full swivel hook
Configurations:	Model 7000 (Single light head)
	7000-100-5 (5 light head 100W stringer)
	7000-100-10 (10 light head 100W stringer)









Western Technology, Inc. 3517 Arsenal Way Bremerton, WA 98312 Fax: (360) 917-0083

Toll Free: (800) 654-5483 Local: (360) 917-0080

www.WesternTechnologyLights.com



www.twrs.com Toll Free: 800.621.2777

Email: sales@twrs.com

# EL 3300

## Air-Cooled Polyurethane Halogen Blast Light









**Optional Stanchion** 









Optional Cord lengths available

System provides dust penetrating light with maximum operator flexibility

Western Technology, Inc. 3517 Arsenal Way Bremerton, WA 98312 Fax: (360) 917-0083

Toll Free: (800) 654-5483 Local: (360) 917-0080 www.WesternTechnologyLights.com



www.twrs.com Toll Free: 800.621.2777


Email: sales@twrs.com

## L 340(

### No-Air Polyurethane Halogen Blast Light

LIGHTING

Designed + Manufactured in the USA





	Product Features
Bulb Type:	35W Halogen
Lens:	Pyrex Lens
Power Consumption:	120-V AC / 12-V DC
	Model 3400B connects directly to 12VDC battery
	220-V (also available)
Housing/Material:	All polyurethane construction
	Shock-absorbing Light Halo
	3400 Blast Light (included)
	Power Pack (included)
3400S Complete System	75' 14/2 premium power cord (included)
(Option):	Light Stanchion (Optional)
	Extreme Cable (optional)
	Battery Clamps (Optional with Model 3400B)
Replacement Parts: (Available upon request)	Halogen Bulbs (Box of 10)
	Pyrex Lenses (Box of 12)
	Power Pack (1)
	Multi-outlet Power Pack (Optional)
Mounting:	Optional Light Stanchion
	Compressed air not required for operation
Additional Features:	All polyurethane construction makes this unit durable, long lasting and light weight
	Additional cable lengths available







Western Technology, Inc.

stern Technology, Inc. 3517 Arsenal Way Bremerton, WA 98312 Toll Free: (800) 654-5483 Local: (360) 917-0080 Fax: (360) 917-0083

www.WesternTechnologyLights.com