



GenVX® Series Airline Respirator

The next generation of blasting.

The GenVX is the newest blasting helmet from Bullard, providing users with the industry's lightest, coolest, most comfortable, and most dependable helmet on the market for abrasive blasters and painters.

The GenVX Series airline respirators are approved by NIOSH (TC-19C-0489, TC-19C-0491, TC-19C-0492, TC-19C-0493, TC-19C-0494, TC-19C-0495, TC-19C-0496, Type C and CE) to provide respiratory protection in general purpose applications including heavy- and light-duty abrasive blasting, and Type C and CE painting applications.

Superior Protection and Comfort

The GenVX offers superior protection to workers who are exposed to the harsh environments of blasting and painting. It is a full pound lighter than competitive products and offers the most cooling options for added comfort. Constructed from High-Density Polyethylene (HDPE) for superior strength, the sleek design of the GenVX allows air to pass directly over the user's head, providing greater air flow and improved cooling.

The helmet offers launderable, removable, and adjustable cheek pads for increased comfort and stability and a "Grit Guard" visor that keeps debris out of the lens. The GenVX is equipped with a six-point suspension, wide 1" straps for maximum comfort and a ratchet knob for easy adjustments. The center breathing tube connection provides greater balance to the user.

Dependable

Third-party 1,000 Assigned Protection Factor (APF) data and ANSI/ISEA Z89 Head Protection and High-Impact Z87+ Face Protection ratings make the GenVX the most dependable blast helmet available on the market.




GenVX®



GenVX® Series Airline Respirator

Technical Specifications			
Regulatory		Lens System	
Assigned Protection Factor (APF)	1,000 (third party tested)	Viewing area	4" x 9.75"
ANSI/ISEA Z89.1-2014, Type I, Class C		Inner lens	.040" Tritan**
ANSI/ISEA Z87.1-2015, Z87+ High-Impact Face Protection		Outer lens	.015" PETG
		Optional adhesive-backed Mylar® lens covers or tinted lenses	
Helmet		Capes	
Material	High-density Polyethylene shell & door	8 oz. Nylon Denier	
Weight	2.39 lbs.	Continuous steel cable attachment	
Suspension		28" standard	
6-pt. Flex-Gear® Ratchet		Third hand for easy installation	
Adjustable to fit sizes 6.5-8			
1" wide nylon webbing			

* Impact- and chemical-resistant faceshield
† Other thicknesses and tints available





GenVX® Series Airline Respirator

GenVX® Series Airline Respirator Selection Chart

1. GenVX® Hood



- Oval Window (Standard)

2. Choose Suspension



- GVXRT & GVXPL - Adjustable Flex-Gear® Ratchet Headband Suspension

3. GenVX® Breathing Tube



- GVXBT - Flow control not included

4. Choose Flow control




- F30, F30B, F30S Constant Flow control Valve, 1/4" Industrial Interchange
- F31 - Schrader
- F32 - Snap-Tite Steel
- F33 - Snap-Tite Brass
- F34 - Snap-Tite Stainless
- F37 - CEJN
- F38 - Bayonet Steel



- F35, F35B, for Free-Air® Pumps Constant Flow control Valve, 1/2" Industrial Interchange

4. Choose Flow control continued...



1/4" Adjustable Flow

- F40, F40B, F40S - Industrial Interchange (Hansen Compatible)
- F41 - Schrader
- F42 - Snap-Tite Steel
- F43 - Snap-Tite Brass
- F44 - Snap-Tite Stainless
- F47 - CEJN
- F48 - Bayonet Steel



Cool Tubes for Compressed Air (Metal)

- AC100030, AC100030B, AC100030S - 1/4" Industrial Interchange (Hansen Compatible)
- AC100031 - Schrader
- AC100032 - Snap-Tite Steel
- AC100033 - Snap-Tite Brass
- AC100034 - Snap-Tite Stainless
- AC100037 - CEJN
- AC100038 - Bayonet Steel



Cool Tubes for Free-Air® Pumps

- (ADP20, EDP30 and ICE Pumps)
- FRIGITRON2000 1/2" Industrial Interchange (Hansen Compatible)
- FRIGITRON2000B Brass



Cool Tubes for Compressed Air (Plastic)

- CT30, CT30B, CT30S 1/4" Industrial Interchange
- CT30SW, CT30BSW, CT30SSW 1/4" Industrial Interchange (Hansen Compatible) with Dynaswivel fitting
- CT31 - Schrader
- CT32 - Snap-Tite Steel
- CT33 - Snap-Tite Brass
- CT34 - Snap-Tite Stainless
- CT37 - CEJN
- CT38 - Bayonet Steel



Hot/Cold Tubes for Compressed Air (Plastic)

- HCT30, HCT30B, HCT30S 1/4" Industrial Interchange
- HCT30SW, HCT30BSW, HCT30SSW 1/4" Industrial Interchange with Dynaswivel fitting (Hansen Compatible)
- HCT31 - Schrader
- HCT32 - Snap-Tite Steel
- HCT33 - Snap-Tite Brass
- HCT34 - Snap-Tite Stainless
- HCT37 - CEJN
- HCT38 - Bayonet Steel



Hot/Cold Tubes for Compressed Air (Metal)

- HC240030, HC240030B, HC240030S 1/4" Industrial Interchange (Hansen Compatible)
- HC240031 - Schrader
- HC240032 - Snap-Tite Steel
- HC240033 - Snap-Tite Brass
- HC240034 - Snap-Tite Stainless
- HC240037 - CEJN
- HC240038 - Bayonet Steel

5. Choose Cape



- 28VX - 28" Nylon Cape
- 38VX - 38" Nylon Cape



- 66VX - 38" "Golden Gate" Nylon Cape



- PKVX - 38" Nylon Parka
- PKVXLVX - 38" Extra Large Nylon Parka

6. Choose Cooling Vest



- DC70ML - Med/Lg Cool Vest
- DC70LXXL - XL/XXL Cool Vest
- DC705X - 5XL Cool Vest



- DC5040 - Dual-Cool Industrial Interchange
- DC5041 - Dual-Cool Schrader
- DC5042 - Dual-Cool Snap-Tite Steel
- DC5044 - Dual-Cool Snap-Tite Stainless
- DC5047 - Dual-Cool CEJN

7. Choose Belt and/or Accessories



- 4612 - Nylon Belt



- GVXCS - Chinstrap



- GVXLC - Adhesive Mylar® Lens Cover



- GVXCP - Cheek Pads, Pair




GenVX® Series Airline Respirator

A complete GenVX® Series Airline Respirator consists of the following three components:

1. Respirator Helmet and Cape
2. Breathing Tube with Fitting or Optional Climate Control Assembly
3. Breathing Air Supply Hose

All three Bullard components must be present and properly assembled to constitute a NIOSH-approved respirator.

Approval No. TC-19C-0489, TC-19C-0491, TC-19C-0492, TC-19C-0493, TC-19C-0494, TC-19C-0495, TC-19C-0496, Type C and CE, Continuous Flow Class



GenVX® Series Respirator Assemblies for use with Compressed Air

Respirators with 28VX Nylon Cape – 28" Length

- GVX2830** F30 Constant Flow ¼" Industrial Interchange Fitting
- GVX2830CT** CT30 Cool Tube ¼" Industrial Interchange Fitting
- GVX2830AC1000** AC1000 Cool Tube ¼" Industrial Interchange Fitting
- GVX2830HCT** HCT30 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVX2830HC2400** HC2400 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVX2840** F40 Adjustable Flow ¼" Industrial Interchange Fitting
- GVX2831CT** CT31 Cool Tube ¼" Schrader Fitting
- GVX2831AC1000** AC100031 Cool Tube ¼" Schrader Fitting

All systems above include:

- Breathing tube assembly (GVXBT)
- Inner and outer lens with Mylar® lens cover
- Chinstrap (GVXCS)



GVX2830

Best Seller

Respirators with 38VX Nylon Cape – 38" Length

- GVX3830** F30 Constant Flow ¼" Industrial Interchange Fitting
- GVX3830CT** CT30 Cool Tube ¼" Industrial Interchange Fitting
- GVX3830AC1000** AC1000 Cool Tube ¼" Industrial Interchange Fitting
- GVX3830HCT** HCT30 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVX3830HC2400** HC2400 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVX3840** F40 Adjustable Flow ¼" Industrial Interchange Fitting

All systems above include:

- Breathing tube assembly (GVXBT)
- Inner and outer lens with Mylar® lens cover
- Chinstrap (GVXCS)



GVX3830CT

Respirators with PKVX Hibernia Parka (Tan) – 38" Length

- GVXPK30** F30 Constant Flow ¼" Industrial Interchange Fitting
- GVXPK30CT** CT30 Cool Tube ¼" Industrial Interchange Fitting
- GVXPK30XLCT** GVX3830CT with Extra-Large Parka
- GVXPK30AC1000** AC1000 Cool Tube ¼" Industrial Interchange Fitting
- GVXPK30HCT** HCT30 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVXPK30HC2400** HC2400 Hot/Cold Tube ¼" Industrial Interchange Fitting
- GVXPK40** F40 Adjustable Flow ¼" Industrial Interchange Fitting

All systems above include:

- Breathing tube assembly (GVXBT)
- Inner and outer lens with Mylar® lens cover
- Chinstrap (GVXCS)



GVXPK30

Blasting and Grinding



GenVX® Series Airline Respirator

GenVX® Series Respirator Assembly for use with Bullard Free-Air® Pumps

Complete Respirator Work Systems

GVXSYS GVX2835 Respirator with 28VX Nylon Cape – 28" length
 ADP20 Free-Air® Pump
 V2050ST Air Supply Hose
 FRIGITRON2000 climate control device



GVXSTS16TE GVX2835 Respirator with 28VX Nylon Cape – 28" length
 EDP16TE Free-Air® Pump
 V2050ST Air Supply Hose



GVXICESYS GVX2835 Respirator with 28VX Nylon Cape – 28" length
 ICEPUMP11 Pump
 V20100ST Air Supply Hose
 FRIGITRON2000 climate control device

All systems above include:

- Breathing tube assembly with F35 Constant Flow
- 1/2" Industrial interchange quick-disconnect fitting
- Inner and outer lens with Mylar® lens cover (package of five)
- Chinstrap (GVXCS)





GenVX® Series Airline Respirator

GenVX® Series Respirator Assembly for use with Bullard Free-Air® Pumps

Respirator Assemblies

- GVX2835** Respirator with 28VX Nylon Cape – 28" length
- Breathing tube assembly with F35 Constant Flow
 - 1/2" Industrial interchange quick-disconnect fitting
 - Inner and outer lens with Mylar® lens cover (package of five)
 - Chinstrap (GVXCS)



- GVX3835** Respirator with 38VX Nylon Cape – 38" length
- Breathing tube assembly with F35 Constant Flow
 - 1/2" Industrial interchange quick-disconnect fitting
 - Inner and outer lens with Mylar® lens cover (package of five)
 - Chinstrap (GVXCS)



- GVXPK35** Respirator with PKVX Nylon long sleeve parka – 38" length
- Breathing tube assembly with F35 Constant Flow
 - 1/2" Industrial interchange quick-disconnect fitting
 - Inner and outer lens with Mylar® lens cover (package of five)
 - Chinstrap (GVXCS)



Blasting and Grinding



GenVX® Series Airline Respirator

GenVX® Series Replacement Valves for Breathing Tube Assemblies for use with Compressed Air

<p>F30</p>	<p>Constant Flow control</p> <ul style="list-style-type: none"> • 1/4" Industrial Interchange (Hansen Compatible) quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) 	
<p>F31</p>	<p>Constant Flow control</p> <ul style="list-style-type: none"> • 1/4" Schrader quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) 	
<p>F32</p>	<p>Constant Flow control</p> <ul style="list-style-type: none"> • 1/4" Snap-Tite steel quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) 	
<p>F33</p>	<p>Constant Flow control</p> <ul style="list-style-type: none"> • 1/4" Snap-Tite brass quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) 	
<p>F37</p>	<p>Constant Flow control</p> <ul style="list-style-type: none"> • 1/4" CEJN steel quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) 	
<p>F38</p>	<p>Constant Flow control Valve</p> <ul style="list-style-type: none"> • 1/4" Bayonet steel quick-disconnect flow control • Threaded hose connector • Nylon belt (4612) • No ball bearings to clog with grit 	




GenVX® Series Airline Respirator

GenVX® Series Replacement Valves for Breathing Tube Assemblies for use with Compressed Air

F40

Adjustable Flow control

- 1/4" Industrial Interchange (Hansen Compatible) quick-disconnect flow control
- Threaded hose connector
- Nylon belt (4612)



F41

Adjustable Flow control

- 1/4" Schrader quick-disconnect flow control
- Threaded hose connector
- Nylon belt (4612)



F42

Adjustable Flow control

- 1/4" Snap-Tite steel quick-disconnect flow control
- Threaded hose connector
- Nylon belt (4612)



F47

Adjustable Flow control Valve

- 1/4" CEJN stainless steel quick-disconnect flow control
- Threaded hose connector
- Nylon belt (4612)



GenVX® Series Replacement Valves for Breathing Tube Assemblies for use with Bullard Free-Air® Pumps

F35

Constant Flow control

- 1/4" Industrial Interchange (Hansen Compatible) quick-disconnect flow control
- Threaded hose connector
- Nylon belt (4612)



Blasting and Grinding



GenVX® Series Airline Respirator

GenVX® Series Replacement Capes



28VX

28" Length Nylon Cape (Tan)

- Includes snap hooks
- Includes breathing tube straps
- Includes additional nylon liner in neck cuff area
- Includes 3rd hand tab assist



Best Seller

38VX

38" Length Nylon Cape (Tan)

- Includes snap hooks
- Includes breathing tube straps
- Includes additional nylon liner in neck cuff area
- Includes 3rd hand tab assist



GGVX

38" Length "Golden Gate" Nylon Cape (Tan)

- Includes Cinch Straps/Fabric Ties
- Includes breathing tube straps
- Includes additional nylon liner in neck cuff area
- Includes 3rd hand tab assist



PKVX

38" Length Hibernia Parka (Tan)

PKXLVX

38" Length Hibernia Parka Extra-Large Size (Tan)

- Includes breathing tube straps
- Includes additional nylon liner in neck cuff area
- Includes 3rd hand tab assist



PKVX



GenVX® Series Airline Respirator

GenVX® Series Replacement Parts

4612 Nylon Belt



GVXBT Breathing Tube
 • Flow control device not included



GVXCT Breathing Tube Connector Kit
 • Coupling Connector
 • Foam airline plug



GVXBTW Breathing Tube Washer
 • (10 pack)



RBPCOTTON Replacement Brow Pad, Cotton
 • Absorbent cotton replacement brow pad
 • Fits all Bullard suspensions
 • Easy, Velcro® design



RBPVINYL Replacement Brow Pad, Vinyl
 • Vinyl replacement brow pad
 • Fits all Bullard suspensions
 • Easy, Velcro® design



RBPCOOL Replacement Brow Pad, Cooling
 • Polartec replacement brow pad
 • Wicking material moves sweat away from the worker's brow
 • Fits all Bullard suspensions
 • Easy, Velcro® design



Blasting and Grinding



GenVX® Series Replacement Parts and Accessories

GVXRT Adjustable Ratchet Six-Point Flex-Gear® Headband Suspension
 • Cotton Brow Pad



GVXPL Adjustable Pinlock Six-Point Headband Suspension
 • Cotton Brow Pad



GVXCS Elastic Chinstrap
 • For use with GenVX® Series only
 • 10 per package



GVXCA Replacement Carrying Strap




GVXDMK Maintenance Kit – Door/Gasket
 • Includes GenVX® Series door with gasket, inner lens and hinge pin in a kit ready for mounting



GVXIG Inner Gasket



GVXHP Replacement Hinge Pins for GenVX® Door Frame
 • 10 per package



GVXCP Replacement Cheek Pads
 • One pair per package
 • Velcro® attachment straps included





GenVX® Series Replacement Parts and Accessories

GenVX® Series Mylar® Lens

GVXLC Adhesive-backed Mylar® Lens Cover

- Clear
- 25 per package



GenVX® Series Replacement Lenses

Inner Lens

Tritan, For Use with GenVX® Series

GVXIL • 25 per package
 • .040" thick

BGVXIL • Eight packages of 25
 • .040" thick



Outer Lenses

PETG, For Use with GenVX® Series

GVXOL40 • 25 per package
 • .040" thick

BGVXOL40 • Eight packages of 25
 • .040" thick

GVXOL15 • 50 per package
 • .015" thick

BGVXOL15 • Ten packages of 50
 • .015" thick




Tritan, For Use with GenVX® Series

GVXOLT • 25 per package
 • Tinted Lens, Smoke
 • .030" thick

Acetate, For Use with GenVX® Series

GVXOLG • 25 per package
 • Tinted Lens, Green
 • .042" thick



Blasting and Grinding